

QY	1845	TTTGCCATTGTATGATGATGTTGGTTTAAACATGGTATATAATGAATTGTGTA	1904
Db	1861	TTTGGCCATTGTATGATGATGTTGGTTTAAACATGGTATATAATGAATTGTGTA	1920
QY	1905	CTGTGAGAGAAAGCAGAGGACTAATCTCCAATTAAAAAATTTTAAACATGTAAAA	1964
Db	1921	CTGTGAGAGAAAGCAGAGGACTAATCTCCAATTAAAAAATTTTAAACATGTAA	1980
QY	1965	AAAAAAAAAAAAAAAAAAAAAAAAAAAAA	1994
Db	1981	TTTGTAATTTGAACAACAAGATTACAGAAA	2010
RESULT 4			
HUM3H3M			
LOCUS			
DEFINITION	Homo sapiens 3-hydroxy-3-methylglutaryl coenzyme A synthase mRNA, complete cds.	1650 bp	mRNA
ACCESSION	HUM3H3M		
VERSION	L25798.1	GI:410027	
KEYWORDS	3-hydroxy-3-methylglutaryl coenzyme A synthase.		
SOURCE	Homo sapiens (human)		
ORGANISM	Homo sapiens		
REFERENCE	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.		
AUTHORS	Rokosz,L.L., Boulton,D.A., Butkiewicz,B.A., Sanyal,G., Cueto,M.A., Lachance,P.A. and Hermes,J.D.		
TITLE	Human cytoplasmic 3-hydroxy-3-methylglutaryl coenzyme A synthase: expression, purification, and characterization of recombinant wild-type and Cys129 mutant enzymes		
JOURNAL	Arch. Biochem. Biophys. 312 (1), 1-13 (1994)		
MEDLINE	94304197		
PUBMED	7913309		
COMMENT	Original source text: Homo sapiens fetal adrenal cdna to mRNA.		
FEATURES	Location/Qualifiers		
source	1..1650		
	/organism="Homo sapiens"		
	/mol_type="mRNA"		
	/db_xref="taxon:9606"		
	/tissue_type="fetal adrenal"		
	22..1584		
CDS	/codon_start=1		
	/product="3-hydroxy-3-methylglutaryl coenzyme A synthase"		
	/protein_id="AAA62411.1"		
	/db_xref="GI:410028"		
	/translation="MPGSLPLNAECWPKDVGIVALEIYFSPQYVDQAELEKYDGVDA		
	GKTYIGLQAKMGFCTDREDINSLCMTVVQNLNERNLSYDCIGRLEVGTETIIDKSK		
	SVKTNLMQLFESGNTDIEGIDTTNACVGTAAVFNANVNSSWDGRYALVAVAGDI		
	AVYATGNARPTGAVGAVALLIGPNAPLIIFERGLRGTHMQHAYDFYKPDMLSEYPIVDG		
	KLISQCYLSALDRCSYVCKIHAQWQKGNKDFLNDGFMIFHSPYCKLVQKSLA		
	RMLNDFLNDQNRDKNISYSGLEAFQVLEDTYFDRDVEKAFMKASSELFSQKTKAS		
	LLVSNQNGNMYTSSVYGSLSASVLAQYSFQQLAGKRIQVFSYGSGLAATLYSLKVTQDA		
	TPGSALDKITIASLCLDLKSLRSDTGVAPDVFPAENMKLRDTHLVNYIPQGSIDSLFE		
	GTWYLVVRVDEKHRRTYARRPTNPNDTLDGVLVHSNIATEHIFSPAKKVPRLPATAA		
	EPEAAVISNGEH"		
ORIGIN			
Query Match	68.4%;	Score 1370;	DB 9; Length 1650;
Best Local Similarity	92.0%;	Pred. No. 1e-287;	
Matches 1509;	Conservative 0;	Mismatches 5;	Indels 126; Gaps 1;
QY	134	GCTCTTTACCATGCCTGGATCACTTCCTTTGAATGCAGAAAGCTTGCTGGCCAAAAGATG	193
Db	11	GCTCTTTACCATGCCTGGATCACTTCCTTTGAATGCAGAAAGCTTGCTGGCCAAAAGATG	70
QY	194	TGGGAATGTTGCCCTTGAGATCTATTTTCCTTCAATATGTTGATCAAGCAGAGTTGG	253
Db.	71	TTGGATGTTGCCCTTGAGATCTATTTTCCTTCAATATGTTGATCAAGCAGAGTTGG	130
QY	254	AAAAATATGATGGTGTAGATGCTGGAAAGTATACCAATGGCTTGGCCAGGCCAAGATGG	313
	131	AAAAATATGATGGTGTAGATGCTGGAAAGTATACCAATGGCTTGGCCAGGCCAAGATGG	190

QY	314	GCTTCTGCACAGATAGAGAAGATATTAACTCTCTTTGCATGACTGTGGTTCAGAATCTTA	373
Db	191	GCTTCTGCACAGATAGAGAAGATATTAACTCTCTTTGCATGACTGTGGTTCAGAATCTTA	250
QY	374	TGAGAGAGAAATAACCTTTCTCTATGATTGCATTGGCGGCTGGAAGTTGGAACAGAGACAA	433
Db	251	TGAGAGAGAAATAACCTTTCTCTATGATTGCATTGGCGGCTGGAAGTTGGAACAGAGACAA	310
QY	434	TCATCGACAAATCAAAGTCTGTGAAGACTAATTTGATGCAGCTGTTTGAAGAGTCTGGGA	493
Db	311	TCATCGACAAATCAAAGTCTGTGAAGACTAATTTGATGCAGCTGTTTGAAGAGTCTGGGA	370
QY	494	ATACAGATATAGAAAGGAATCGACACAACTAATGCATGCTATGGAGGCACAGCTGCTGTCT	553
Db	371	ATACAGATATAGAAAGGAATCGACACAACTAATGCATGCTATGGAGGCACAGCTGCTGTCT	430
QY	554	TCAATGCTGTTAACTGGATTGAGTCCAGCTCTTGGGAT-----	591
Db	431	TCAATGCTGTTAACTGGATTGAGTCCAGCTCTTGGGATGGACGGTATGCCCTGCTAGTTG	490
QY	592	-----	591
Db	491	CAGGAGATATTGCTGTATATATGCCACAGGAAATGCTAGACCTACAGGTGGAGTTGGAGCAG	550
QY	592	-----GGGCTTCGTGGGACAC	607
Db	551	TAGTCTGCTAATTGGGCAAAATGCTCCTTTTAAATTTTGAACGAGGGCTTCGTGGGACAC	610
QY	608	ATATGCAACATGCCTATGATTTTACAAGCCCTGATATGCTATCTGAATATCCTATAGTAG	667
Db	611	ATATGCAACATGCCTATGATTTTACAAGCCCTGATATGCTATCTGAATATCCTATAGTAG	670
QY	668	ATGAAAAAATCTCCATACAGTGTACTACCTCAGTGCATTAGACCGCTGCTACTCTGTCTACT	727
Db	671	ATGGGAAACTCTCCATACAGTGTACTACCTCAGTGCATTAGACCGCTGCTACTCTGTCTACT	730
QY	728	GCAAAAAGATCCATGCCAGTGGCAGAAAGAGGGAAATGATAAAGATTTTACCTTGAATG	787
Db	731	GCAAAAAGATCCATGCCAGTGGCAGAAAGAGGGAAATGATAAAGATTTTACCTTGAATG	790
QY	788	ATTTGGCTTCATGATCTTCACTACCATATTTGTAAACTGGTTCAGAAATCTCTAGCTC	847
Db	791	ATTTGGCTTCATGATCTTCACTACCATATTTGTAAACTGGTTCAGAAATCTCTAGCTC	850
QY	848	GGATGTTGCTGAATGATCTTCACTACCATATTTGTAAACTGGTTCAGAAATCTCTAGTAGT	907
Db	851	GGATGTTGCTGAATGATCTTCACTACCATATTTGTAAACTGGTTCAGAAATCTCTAGTAGT	910
QY	908	GCTGGAAGCCTTTGGGATGTTAAATAGAACACACCTACTTTGATAGAGATGTGGAGA	967
Db	911	GCTGGAAGCCTTTGGGATGTTAAATAGAACACACCTACTTTGATAGAGATGTGGAGA	970
QY	968	AGGCATTTATGAAGGCTAGCTCTGAACCTCTTCAGTCAAGAAAAACAAAGGCATCTTTACTTG	1027
Db	971	AGGCATTTATGAAGGCTAGCTCTGAACCTCTTCAGTCAAGAAAAACAAAGGCATCTTTACTTG	1030
QY	1028	TATCAAAATCAAAATGGAATATGTACACATCTTCAGTATATGGTTCCCTTGCATCTGTTT	1087
Db	1031	TATCAAAATCAAAATGGAATATGTACACATCTTCAGTATATGGTTCCCTTGCATCTGTTT	1090
QY	1088	TAGCAGAGTACTCACCTCAGCAATTAGCAGGGAAGAGAAATGGAGTGTCTTCTTATGGTT	1147
Db	1091	TAGCAGAGTACTCACCTCAGCAATTAGCAGGGAAGAGAAATGGAGTGTCTTCTTATGGTT	1150
QY	1148	CTGTTTGGCTGCCACTCTGTACTCTTCTTAAAGTCACACAAGATGCTACACCGGGGCTCTG	1207
Db	1151	CTGTTTGGCTGCCACTCTGTACTCTCTTAAAGTCACACAAGATGCTACACCGGGGCTCTG	1210
QY	1208	CTCTTGATAAAATAACAGCAAGTTTATGTGATCTTAAATCAAGGCTTGATTCAAGAACTG	1267
Db	1211	CTCTTGATAAAATAACAGCAAGTTTATGTGATCTTAAATCAAGGCTTGATTCAAGAACTG	1270


```
QY 1268 GTGTGGCACCAGATGTCTTGGTGAAGAACATGAAGCTCAGAGAGGACACCCATCATTTGG 1327
Db 1271 GTGTGGCACCAGATGTCTTGGTGAAGAACATGAAGCTCAGAGAGGACACCCATCATTTGG 1330
QY 1328 TCAACTATATTTCCCGAGGTTCAATAGATTCACTCTTTGAAGGAGCTGGTACTTAGTTA 1387
Db 1331 TCAACTATATTTCCCGAGGTTCAATAGATTCACTCTTTGAAGGAGCTGGTACTTAGTTA 1390
QY 1388 GGGTGGATGAAAGACACAGAAGAACTTACGCTCGGCGTCCCACTCCAAATGATGACACTT 1447
Db 1391 GGGTGGATGAAAGACACAGAAGAACTTACGCTCGGCGTCCCACTCCAAATGATGACACTT 1450
QY 1448 TGGATGAAGGAGTAGGACTTGTGCAATTCAAACATAGCAAACTGAGCATATTTCCAAGCCCTG 1507
Db 1451 TGGATGAAGGAGTAGGACTTGTGCAATTCAAACATAGCAAACTGAGCATATTTCCAAGCCCTG 1510
QY 1508 CCAAGAAAGTACCAAGACTCCCTGCCACAGCAGCAAACTGAAGCAGCTGTCAATAGTA 1567
Db 1511 CCAAGAAAGTACCAAGACTCCCTGCCACAGCAGCAAACTGAAGCAGCTGTCAATAGTA 1570
QY 1568 ATGGGAAACATTAAGATACTCTGTGAGGTGCAAGACTTCAGGGTGGGCTGGGATGGGT 1627
Db 1571 ATGGGAAACATTAAGATACTCTGTGAGGTGCAAGACTTCAGGGTGGGCTGGGATGGGT 1630
QY 1628 GGGGTATGGGAACAGTTGG 1647
Db 1631 GGGGTATGGGAACAGTTGG 1650
```

```
RESULT 5
BT007302
LOCUS BT007302 1563 bp mRNA linear PRI 13-MAY-2003
DEFINITION Homo sapiens 3-hydroxy-3-methylglutaryl-Coenzyme A synthase 1
(soluble) mRNA, complete cds.
ACCESSION BT007302
VERSION BT007302.1 GI:30583442
KEYWORDS FLI_CDNA..
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 1563)
AUTHORS Kallnine,N., Chen,X., Rolfs,A., Halleck,A., Hines,L., Eisenstein,S.,
Koundinya,M., Raphael,J., Moreira,D., Kelley,T., LaBaer,J., Lin,Y.,
Phelan,M. and Farmer,A.
Cloning of human full-length cDNAs in BD Creator(TM) System Donor
vector
Unpublished
JOURNAL 2 (bases 1 to 1563)
REFERENCE Kallnine,N., Chen,X., Rolfs,A., Halleck,A., Hines,L., Eisenstein,S.,
Koundinya,M., Raphael,J., Moreira,D., Kelley,T., LaBaer,J., Lin,Y.,
Phelan,M. and Farmer,A.
Direct Submission
JOURNAL Submitted (13-MAY-2003) BD Biosciences Clontech, 1020 East Meadow
Circle, Palo Alto, CA 94303, USA
COMMENT This CDS clone is a part of a collection of human full length
expression clones generated by BD Biosciences Clontech and the
Harvard Institute of Proteomics. Each CDS has been cloned in two
forms: with and without stop-codon (to allow fusion with C-terminal
tag). The CDS has been directionally cloned using BD In-Fusion(TM)
cloning system between the SalI and HindIII sites of the pDNR-DUAL
vector. Additional sequences in the clone: 'ACC' after SalI site
and before 'ATG' to provide Kozak consensus sequence; 'GG' after
last codon and before HindIII site to maintain reading frame.
Clone distribution: http://bioinfo.clontech.com/orfclones.
Location/Qualifiers
1..1563
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="GH00878X1.0"
/clone_lib="BD Creator(TM) CDS Library derived from MGC
collection"
```

```
/lab_host="DHSalpha T1 resistant"
/note="Vector: pDNR-Dual"
1..1563
/codon_start=1
/product="3-hydroxy-3-methylglutaryl-Coenzyme A synthase 1
(soluble)"
/protein_id="AAP35966.1"
/db_xref="GI:30583443"
/translation="MPGSLPLNAEACWPKDVGVIALEIYFSPQYVDQAELEKYDGVDA
GKYTIGLQAKMGFCCTREDINSLCMTVVQNLNERNLNSYDCIGRLEVGTEIIDKSK
SVKTNLMQLFEESGNTDIEGIDTTNACYGTTAAVFNAMWIESSWDGRYALVAVGDI
AVYATGNARPTGGVGAVALLIGPNAPLIFERGLEGTHMQHAYDFYKPDMLSEYPIVDG
KLSIQCYLSALDRCSYVYCKIHAQWKEGNDKDTLNDFFMIFHSPYCKLVQKSLA
RMLLNDFLNDQNRDKNSIYSGLEAFGDVLEDTYFDRDVEKAFMKASSELFSQKTKAS
LLVSNQNGNMYTSSVYSGSLAVLAQYSPQQLAGKRIGVFSYSGSLAATLYSLKVTQDA
TPGSALDKITASLCLDKSLRDSRTGVAPDVFANMKLRDTHLNVNYPQGSIDSLFE
GTWYLVRYDEKHRRTYARRPTPNDTDLDEGVGLVHSNIATEHIPSPAKKVPRLPATAA
EPEAAVISNGEH"
ORIGIN
Query Match 64.9%; Score 1300; DB 9; Length 1563;
Best Local Similarity 91.9%; Pred. No. 1.7e-272;
Matches 1436; Conservative 0; Mismatches 0; Indels 126; Gaps 1;
QY 145 ATGCCTGGATCATTCTCTTGAATGCAAGAGCTTGTGCGCCAAAAGATGTGGGAATTGTT 204
Db 1 ATGCCTGGATCATTCTCTTGAATGCAAGAGCTTGTGCGCCAAAAGATGTGGGAATTGTT 60
QY 205 GCCCTTGAGATCTATTTCCTTCTCAATATGTTGATCAAGCAGAGTTGGAAAAATATGAT 264
Db 61 GCCCTTGAGATCTATTTCCTTCTCAATATGTTGATCAAGCAGAGTTGGAAAAATATGAT 120
QY 265 GGTCTAGATGCTGGAAGATATACCATTTGGCTTGGCCAGGCCAAAGATGGCTTCTGCACA 324
Db 121 GGTCTAGATGCTGGAAGATATACCATTTGGCTTGGCCAGGCCAAAGATGGCTTCTGCACA 180
QY 325 GATAGAGAAGATATTAACTCTCTTTGCATGACTGTGTTTCAAGATCTTATGGAGAGAAAT 384
Db 181 GATAGAGAAGATATTAACTCTCTTTGCATGACTGTGTTTCAAGATCTTATGGAGAGAAAT 240
QY 385 AACCTTTCTATGATGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 444
Db 241 AACCTTTCTATGATGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 300
QY 445 TCAAGTCTGTGAAGACTAATTGATGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 504
Db 301 TCAAGTCTGTGAAGACTAATTGATGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 360
QY 505 GAAGGAATCGACACACAACTAATGCTATGCTATGCTATGCTATGCTATGCTATGCTATGCTAT 564
Db 361 GAAGGAATCGACACACAACTAATGCTATGCTATGCTATGCTATGCTATGCTATGCTATGCTAT 420
QY 565 AACTGGATTGAGTCCAGCTCTTGGGAT----- 591
Db 421 AACTGGATTGAGTCCAGCTCTTGGGATGGACGGTATGCCCTGGTAGTTGCAGGAGATATT 480
QY 592 ----- 591
Db 481 GCTGTATATGCCACAGGAAATGCTAGACCTACAGGTGGAGTTGGAGCAGTAGCTCTGCTA 540
QY 592 -----GGGCTTCTGGGACACATATGCAACAT 618
Db 541 ATTGGGCCAAATGCTCTTTAATTTTGAACGAGGGCTTCTGGGACACATATGCAACAT 600
QY 619 GCCTATGATTTTACAAGCCTGATATGCTATCTGAATATCTATAGTAGTAGTAGTAGTAGTAGTAG 678
Db 601 GCCTATGATTTTACAAGCCTGATATGCTATCTGAATATCTATAGTAGTAGTAGTAGTAGTAGTAG 660
QY 679 TCCATACAGTGTCTACTCAGTGCAATGACCGCTGCTACTCTGCTACTCTGCTACTCTGCTACTC 738
Db 661 TCCATACAGTGTCTACTCAGTGCAATGACCGCTGCTACTCTGCTACTCTGCTACTCTGCTACTC 720
QY 739 CATGCCAGTGGCAGAAAGAGGGAATGATGATAAAGATTTTACTCTGATGATTTTGGCTTC 798
```


GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: June 24, 2004, 12:56:26 ; Search time 44 Seconds
(without alignments)
565.671 Million cell updates/sec

Title: US-10-622-516-2

Perfect score: 2511

Sequence: 1 MPGLPLNABACWPKDVIV.....PRLPATAEPERAAVINGEH 478

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 141681 seqs, 52070155 residues

Total number of hits satisfying chosen parameters: 141681

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_42:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	2480	98.8	520	1	HMCS_HUMAN
2	2362	94.1	520	1	HMCS_RAT
3	2352	93.7	520	1	HMCS_CRIGR
4	2097	83.5	522	1	HMCS_CHICK
5	1513	60.3	508	1	HMCM_HUMAN
6	1494	59.5	508	1	HMCM_RAT
7	1493	59.5	480	1	HMCM_MOUSE
8	1466	58.4	508	1	HMCM_PIG
9	1352.5	53.9	453	1	HMC1_BLAG
10	1272.5	50.7	455	1	HMC2_BLAG
11	980	39.0	461	1	HMCS_ARATH
12	950.5	37.9	491	1	HMCS_YEAST
13	900	35.8	447	1	HMCS_SCHPO
14	705	28.1	462	1	HMCS_CAEEL
15	249	9.9	163	1	HMCS_DICDI
16	152	6.1	350	1	YD79_METKA
17	147	5.9	345	1	PKSG_BACSU
18	145.5	5.8	346	1	Y792_METTH
19	144	5.7	350	1	Y677_PYRHO
20	138.5	5.5	350	1	Y972_PYRFU
21	135	5.4	349	1	Y871_METFA
22	132.5	5.3	343	1	YO15_ARCFU
23	130	5.2	350	1	YL85_PYRAE
24	127	5.1	349	1	Y4E1_METAC
25	126.5	5.0	350	1	YD69_PYRAB
26	123.5	4.9	716	1	BGAL_THEVO
27	123	4.9	351	1	Y132_THEVO
28	122	4.9	345	1	YF46_METJA
29	122	4.9	351	1	YE55_THEAC
30	121	4.8	580	1	NO56_MOUSE
31	118.5	4.7	596	1	NO56_HUMAN
32	116	4.6	348	1	YD49_SULTO
33	107.5	4.3	776	1	TOP1_RICPR

34	106.5	4.2	1517	1	GLTB_ECOLI	P09831	escherichia
35	106	4.2	367	1	YOL2_CAEEL	Q09291	caenorhabdi
36	105	4.2	412	1	AATC_MOUSE	P05201	mus musculu
37	105	4.2	3358	1	PGCV_MOUSE	Q62059	mus musculu
38	103	4.1	489	1	YSV5_CAEEL	Q10011	caenorhabdi
39	103	4.1	1197	1	DPOW_PODAN	Q01529	podospora a
40	102	4.1	360	1	HIS8_LACLA	Q02135	lactococcus
41	102	4.1	1163	1	CQAA_BACTF	Q9x597	bacillus th
42	101	4.0	365	1	YI73_AERPE	Q9yas0	aeropyrum p
43	100.5	4.0	776	1	TOP1_RICCN	Q92ih1	rickettsia
44	100	4.0	1136	1	C4BA_BACTI	P05519	bacillus th
45	99.5	4.0	494	1	ILVC_VIBPA	Q87tn4	vibrio para

ALIGNMENTS

RESULT 1	HMCS_HUMAN	STANDARD;	PRT;	520 AA.
AC	Q01581;			
DT	01-JUL-1993 (Rel. 26, Created)			
DT	01-OCT-1996 (Rel. 34, Last sequence update)			
DT	10-OCT-2003 (Rel. 42, Last annotation update)			
DE	Hydroxymethylglutaryl-CoA synthase, cytoplasmic (EC 2.3.3.10) (HMG-CoA synthase) (3-hydroxy-3-methylglutaryl coenzyme A synthase).			
GN	HMCS1 OR HMGCS.			
OS	Homo sapiens (Human).			
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;			
OC	Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.			
OX	NCBI_TaxID=9606;			
RN	[1]			
RP	SEQUENCE FROM N.A.			
RC	TISSUE=Fibroblast;			
RX	MEDLINE=93041939; PubMed=1358203;			
RA	Russ A.P., Ruzicka V., Maerz W., Appelhaus H., Gross W.;			
RT	"Amplification and direct sequencing of a cDNA encoding human			
RT	cytosolic 3-hydroxy-3-methylglutaryl-coenzyme A synthase.";			
RL	Biochim. Biophys. Acta 1132:329-331(1992).			
RN	[2]			
RP	SEQUENCE FROM N.A., CHARACTERIZATION, AND MUTAGENESIS.			
RC	TISSUE=Fetal adrenal gland;			
RX	MEDLINE=94304197; PubMed=7913309;			
RA	Rokosz L.L., Boulton D.A., Butkiewicz E.A., Sanyal G., Cueto M.A.,			
RA	Lachance P.A., Hermes J.D.;			
RT	"Human cytoplasmic 3-hydroxy-3-methylglutaryl coenzyme A synthase:			
RT	expression, purification, and characterization of recombinant			
RT	wild-type and Cys129 mutant enzymes.";			
RL	Arch. Biochem. Biophys. 312:1-13(1994).			
RN	[3]			
RP	SEQUENCE FROM N.A.			
RC	TISSUE=Lung;			
RX	MEDLINE=22388257; PubMed=12477932;			
RA	Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,			
RA	Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,			
RA	Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,			
RA	Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,			
RA	Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,			
RA	Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,			
RA	Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,			
RA	Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,			
RA	Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,			
RA	Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,			
RA	Villalón D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,			
RA	Fahey J., Helton E., Kettman M., Madan A., Rodrigues S., Sanchez A.,			
RA	Whiting M., Touchman J.W., Green E.D., Dickson M.C.,			
RA	Blakesley R.W., Grimwood J., Schmutz J., Myers R.M.,			
RA	Rodriguez A.C., Krzywinski M.I., Skalska U., Smalusz D.E.,			
RA	Butterfield Y.S.N., Jones J.E., Jones S.J.M., Marra M.A.;			
RA	Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;			
RT	"Generation and initial analysis of more than 15,000 full-length			
RT	human and mouse cDNA sequences.";			
RL	Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).			

CC -!- FUNCTION: This enzyme condenses acetyl-CoA with acetoacetyl-CoA to
 CC form HMG-CoA, which is the substrate for HMG-CoA reductase.
 CC -!- CATALYTIC ACTIVITY: Acetyl-CoA + H(2)O + acetoacetyl-CoA = (S)-3-
 CC hydroxy-3-methylglutaryl-CoA + CoA.
 CC -!- PATHWAY: PRODUCTION OF MEVALONATE FROM HMG-CoA PRIOR TO THE
 CC SYNTHESIS OF STEROLS SUCH AS CHOLESTEROL AND ISOPRENOIDS.
 CC -!- SUBCELLULAR LOCATION: Cytoplasmic.
 CC -!- SIMILARITY: Belongs to the HMG-CoA synthase family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; X66435; CAA47061.1; --
 CC EMBL; L25798; AAA62411.1; --
 CC EMBL; BC000297; AAH00297.1; --
 CC PIR; S27197; S27197.
 CC PIR; S45497; S45497.
 CC Genew; HGNC:5007; HMGCS1.
 CC MIM; 142940; --
 CC GO; GO:0005737; C:cytoplasm; TAS.
 CC GO; GO:0005625; C:soluble fraction; TAS.
 CC GO; GO:0004421; F:hydroxymethylglutaryl-CoA synthase activity; TAS.
 CC InterPro; IPR000590; HMG_CoA_synth_AS.
 CC InterPro; IPR008260; HMG_CoA_synth.
 CC Pfam; PF01154; HMG_CoA_synth; 1.
 CC PROSITE; PS01226; HMG_COA_SYNTHASE; 1.
 CC Transferase; Cholesterol biosynthesis; Multigene family.
 CC ACT SITE 129 129
 CC MUTAGEN 129 129 C->A,S: LOSS OF ACTIVITY.
 CC CONFLICT 248 248 G -> A (IN REF. 1).
 CC CONFLICT 251 251 K -> N (IN REF. 1).
 CC CONFLICT 299 299 E -> K (IN REF. 1).
 CC CONFLICT 364 364 Q -> H (IN REF. 1).
 CC CONFLICT 420 420 P -> Q (IN REF. 1).
 CC CONFLICT 519 520 EH -> VW (IN REF. 1).
 CC SEQUENCE 520 AA; 57293 MW; C669212BF86CFF9B CRC64;
 CC
 CC Query Match 98.8%; Score 2480; DB 1; Length 520;
 CC Best Local Similarity 91.9%; Pred. No. 2.3e-173;
 CC Matches 478; Conservative 0; Mismatches 0; Indels 42; Gaps 1;
 CC
 CC QY 1 MPGSLPLNAEACWPKDVGIVALEIYFPSQYVDQAELEKYDGVDAKYTIGLGQAKMGFCT 60
 CC Db 1 MPGSLPLNAEACWPKDVGIVALEIYFPSQYVDQAELEKYDGVDAKYTIGLGQAKMGFCT 60
 CC
 CC QY 61 DREDINSLCMTVVQNLMERNLSYDCIGRLEVGTETIIDKSKSVKTNLMQLFEESGNTDI 120
 CC Db 61 DREDINSLCMTVVQNLMERNLSYDCIGRLEVGTETIIDKSKSVKTNLMQLFEESGNTDI 120
 CC
 CC QY 121 EGIDTTNACYGGTAAFVNAVNWIESSSWD----- 149
 CC Db 121 EGIDTTNACYGGTAAFVNAVNWIESSSWDGRIYALVWAGDIAVYATGNARPTGGVGAVAL 180
 CC
 CC QY 150 -----GLRGTHMQHAYDFYKPDMLSEYPIVDGKLSIQCYLSALDRCSYVCKKI 198
 CC Db 181 IGPNAFLIFERGLRGTHMQHAYDFYKPDMLSEYPIVDGKLSIQCYLSALDRCSYVCKKI 240
 CC
 CC QY 199 HAQWQKEGNDKDFTLNDFGFMIFHSPYCKLVOKSLARMLLNDFLNQNRDKNSIYSGLEA 258
 CC Db 241 HAQWQKEGNDKDFTLNDFGFMIFHSPYCKLVOKSLARMLLNDFLNQNRDKNSIYSGLEA 300
 CC
 CC QY 259 FGDVKLEDITYFDRDVEKAFMKASSELFSQTKASLLVSNQNGNMYTSSVYGLASVLAQY 318
 CC Db 301 FGDVKLEDITYFDRDVEKAFMKASSELFSQTKASLLVSNQNGNMYTSSVYGLASVLAQY 360
 CC
 CC QY 319 SPQOLAGKRIGVFSYSGLAATLYSLKVTQDTPGSALDKITASLCLKSLDLSRTGVAP 378
 CC Db 361 SPQOLAGKRIGVFSYSGLAATLYSLKVTQDTPGSALDKITASLCLKSLDLSRTGVAP 420

RESULT 2

HMCS_RAT
 ID HMCS RAT STANDARD; PRT; 520 AA.
 AC P17425;
 DT 01-AUG-1990 (Rel. 15, Created)
 DT 01-AUG-1990 (Rel. 15, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Hydroxymethylglutaryl-CoA synthase, cytoplasmic (EC 2.3.3.10) (HMG-CoA
 DE synthase) (3-hydroxy-3-methylglutaryl coenzyme A synthase).
 GN HMGCS1 OR HMGCS.
 OS Rattus norvegicus (Rat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Rattus.
 OX NCBI_TaxID=10116;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=Sprague-Dawley; TISSUE=Liver;
 RX MEDLINE=90301491; PubMed=1972979;
 RA Ayte J., Gil-Gomez G., Hegardt F.G.;
 RT "Nucleotide sequence of a rat liver cDNA encoding the cytosolic 3-
 RT hydroxy-3-methylglutaryl coenzyme A synthase.";
 RL Nucleic Acids Res. 18:3642-3642(1990).
 CC -!- FUNCTION: This enzyme condenses acetyl-CoA with acetoacetyl-CoA to
 CC form HMG-CoA, which is the substrate for HMG-CoA reductase.
 CC -!- CATALYTIC ACTIVITY: Acetyl-CoA + H(2)O + acetoacetyl-CoA = (S)-3-
 CC hydroxy-3-methylglutaryl-CoA + CoA.
 CC -!- PATHWAY: PRODUCTION OF MEVALONATE FROM HMG-CoA PRIOR TO THE
 CC SYNTHESIS OF STEROLS SUCH AS CHOLESTEROL AND ISOPRENOIDS.
 CC -!- SUBCELLULAR LOCATION: Cytoplasmic.
 CC -!- SIMILARITY: Belongs to the HMG-CoA synthase family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; X52625; CAA36852.1; --
 CC PIR; S12736; S12736.
 CC InterPro; IPR000590; HMG_CoA_synth_AS.
 CC InterPro; IPR008260; HMG_CoA_synth.
 CC Pfam; PF01154; HMG_CoA_synth; 1.
 CC PROSITE; PS01226; HMG_COA_SYNTHASE; 1.
 CC Transferase; Cholesterol biosynthesis; Multigene family.
 CC ACT SITE 129 129 POTENTIAL.
 CC SEQUENCE 520 AA; 57433 MW; CB213A27B0C177CB CRC64;
 CC
 CC Query Match 94.1%; Score 2362; DB 1; Length 520;
 CC Best Local Similarity 87.5%; Pred. No. 9.2e-165;
 CC Matches 455; Conservative 11; Mismatches 12; Indels 42; Gaps 1;
 CC
 CC QY 1 MPGSLPLNAEACWPKDVGIVALEIYFPSQYVDQAELEKYDGVDAKYTIGLGQAKMGFCT 60
 CC Db 1 MPGSLPLNAEACWPKDVGIVALEIYFPSQYVDQAELEKYDGVDAKYTIGLGQAKMGFCT 60
 CC
 CC QY 61 DREDINSLCMTVVQNLMERNLSYDCIGRLEVGTETIIDKSKSVKTNLMQLFEESGNTDI 120
 CC Db 61 DREDINSLCMTVVQNLMERNLSYDCIGRLEVGTETIIDKSKSVKTNLMQLFEESGNTDI 120
 CC
 CC QY 121 EGIDTTNACYGGTAAFVNAVNWIESSSWD----- 149
 CC Db 121 EGIDTTNACYGGTAAFVNAVNWIESSSWD----- 149